



Barcode Verification Report

INTERIM Report No. AU31181756

Page 1 of 4

Sarah Goodwin Brilliant Group Pty Ltd		Issue Date Expiry Date	28 April, 2023 27 April, 2024	
For assistance please ring 1300 BARCODE (1300 227 263) and ask for the Melbourne/Sydney Help Desk				
Meets all GS1 Minimur	n Guidelines			
Description:	Jack Hammer Door Wedge	2 Pce		
Type of bar code:	EAN-13			
Number/data encoded:	9311436303452			
Print method:				
Number of bar codes on item:	1			
Substrate:	Interim			
Country of Origin Label:	No			
Sample type:	Laser Print			

Note: Due to possible variations in print quality the ISO grade given on this report is only applicable to the sample provided. Due to different scanning environments the scan rate shown on this report should be used as a guide only.

Testing Summary

Complies to Minimum GS1 Specifications

Omni-Directional Retail Point of Sale	✓
Hand Scanning	✓
Complies to GS1 Location Recommendations	N/A
ISO Grade (0.0 - 4.0)	N/A
Scan Rate	100%

Business Critical Comments

Head Office 8 Nexus Court, Mulgrave VIC 3170, Locked Bag 2, Mt Waverley VIC 3149 Australia Tel 61 3 9558 9559 Fax 61 3 9558 9551 Sydney Office Lakes Business Park Building 4B 2-4 Lord Street Botany NSW 2019, Locked Bag 7002 Botany NSW 1455 Australia Tel 61 2 9700 0933 Fax 61 2 9700 0820 National Number 1300 BARCODE (1300 227 263) www.gs1au.org ABN 67 005 529 920





INTERIM Report No. AU31181756

Page 2 of 4

Analysis

GS1 Specifications	An			
Parameters	Comment Reference	Assessed	Complies to Specifications	Minimum GS1 Specifications required
X-dimension (Magnification) for Omni-Directional RPOS		101%	✓	80% - 200%
X-dimension (Magnification) for Hand Scanning		101%	✓	80% - 200%
Barcode Height		22.85 mm	✓	22.85 mm
Quiet Zones (Left)		10.00 mm	✓	3.63 mm
(Right)		10.00 mm	✓	2.31 mm
Data Check Digit		2	✓	2
General Representation			✓	
Validity of GS1 Company Prefix			✓	
Other Compliance Issues	(3)		✓	
Location	(2)	Not Assessed		
Additional Test			General Com	iment
Average Bar Gain		Acceptable		
ISO Parameters	Comment Reference	ISO Grade	Meets ISO Passing Grade	
Overall ISO Grade				
Decode				
Symbol Contrast				
Minimum Reflectance				
Edge Contrast				
Modulation				
Defects				
Decodability				

Head Office 8 Nexus Court, Mulgrave VIC 3170, Locked Bag 2, Mt Waverley VIC 3149 Australia Tel 61 3 9558 9559 Fax 61 3 9558 9551 Sydney Office Lakes Business Park Building 4B 2-4 Lord Street Botany NSW 2019, Locked Bag 7002 Botany NSW 1455 Australia Tel 61 2 9700 0933 Fax 61 2 9700 0820 National Number 1300 BARCODE (1300 227 263) www.gs1au.org ABN 67 005 529 920



INTERIM

INTERIM Report No. AU31181756

Page 3 of 4

Minimum ISO Pass Grades - BarCode Type	Grade		
- , - , - , , ,	Pass = 1.5 - 4.0 Fail = 0.0 - 1.4		
	Pass = 0.5 - 4.0 Fail = 0.0 - 0.4 Note: In general distribution a grade less than 1.5 may cause scanning difficulties.		

Educational Comments	
1	The ISO parameters cannot be assessed as the sample has been supplied as artwork or a digital file and does not represent the printed material.
	Please note: The ISO parameters are impacted by the print quality, registration, background colour, bar colour and other processes related to the printing of the barcode.

- 2 Location cannot be assessed as the sample has been supplied as artwork or a digital file and is not in a formed state.
- All assessments have been based on artwork which has been supplied as either a hard copy or digital file. It should also be noted that the results achieved on this report, are not reflective of the actual printed material.
 We would strongly recommend that the actual printed material in its final formed state also be sent for barcode verification.
 Also please note ITF-14 barcodes with a magnification (X-dimension) less than 62.5% should not be printed directly onto corrugate board.

Product Dimensions Section

GS1 Australia has the facilities to measure product dimensions for products sent for barcode testing; these dimensions may be required for space management purposes. To obtain dimensions a complete formed sample must be supplied.

Product Imaging Section

GS1 Australia provide an imaging service to both members and non-members. If product images have been requested by your company you will be notified upon the completion of imaging.



INTERIM

INTERIM Report No. AU31181756

Page 4 of 4

Some important notes about this report:

- This Barcode Verification Report may contain privileged and confidential information intended only for the use of the addressee named above. If you are not the intended recipient of this report, you are hereby notified that any use, dissemination, distribution or reproduction of this message is prohibited. If you received this message in error please notify GS1 Australia.
- This Barcode Verification Report is valid for 12 months from the date of issue.
- Unless otherwise advised or stipulated by your company, all details relating to the product sample/s submitted will be made visible to the National Product Catalogue user community 28 days after the date of submission, as well as other subscription services of GS1 such as GS1 Australia Smart Media, depending on user settings.
- All samples will be disposed of within seven days of the Barcode Verification Report being issued or, upon request, returned to the submitter in accordance with their directions and at their cost.
- The scan rate is an indication of how the barcode performed on one scanner. As various scanners decode barcodes in different ways, any shortcoming of a barcode may result in a varied level of performance across different scanners.
- It is the responsibility of the GS1 member company to ensure the correct use of the GS1 Company Prefix or directly allocated GS1 Identification Key. The correct
 allocation of a barcode number is the responsibility of the owner. Where a GTIN has been allocated to a product, and it has been introduced to the market, under no
 circumstance must it be transferred or reused for any other product.
- Rejection of products by your customer/s should not necessarily be based solely on a Barcode Verification Report with an out of specification result.
- GS1 Australia's Barcode Check service uses ISO accredited verification equipment to assess the compliance of the barcode to GS1 standards based on ISO/IEC 15416. Should a dispute arise over any failed results from GS1's equipment, an internationally recognised and independent arbitrator can be used, on request, to gain an impartial ruling on the accuracy of the verification equipment. The cost of arbitration will be incurred by the Barcode Check customer in advance, but will be reimbursed should the arbitrator's assessment confirm a passing ISO grade.
- GS1 Australia's assessment of the Country of Origin Label (CoOL) is based on the sample sighted. It is the responsibility of your company to ensure the CoOL has the correct content in accordance with the applicable legislation and is correctly applied to all required products.

Retailers Access Option:

You are currently opted in for the Retailer Access Option

Please note Retailers authorised by GS1 Australia may electronically request a copy of any **passing** reports by specifying the GTIN (barcode number) of the product. Retailers have warranted that requests will only be submitted for products that are either being ranged or are on range within their systems. **Reports without a passing grade are not shared.**

If you do not want your passing reports to be discoverable by authorised retailers, you can opt out of this service for all reports issued to your company by contacting the Testing Services Team at GS1 Australia.

Email: technical@gs1au.org

Phone:

Melbourne: (03) 9550 3464 Sydney: (02) 9695 2201

Disclaimer:

- This report is prepared solely for testing the conformance of a barcode and is not conclusive evidence of the information provided within.
- Every possible effort has been made to ensure that the information and specifications in this report are correct. However, GS1 Australia excludes all liability for any errors or omissions, to the maximum extent permitted by law (whether arising in negligence, breach of contract or breach of any other law) that it may have for any loss or damage arising from the use of, or reliance on, this report, whether that loss or damage is direct, indirect or consequential (including any loss of contract or sale, loss of any business revenue, loss of profits, failure to realise expected profits or savings or any other commercial loss or economic loss of any kind).
- GS1 Australia is not responsible for ensuring the accuracy of the content of the Country of Origin Label and excludes all liability for any errors or omissions, to the
 maximum extent permissible by law (whether arising in negligence, breach of contract or breach of any other law) that it may have for any loss or damage arising
 from the use of, or reliance on, this report, whether that loss or damage is direct, indirect or consequential (including any loss of contract or sale, loss of any business
 revenue, loss of profits, fine or penalty imposed by or on behalf of regulatory bodies, failure to realise expected profits or savings or any other commercial or
 economic loss of any kind).